



VERSA STEEL

Approval Drawings

300 HATCH ASSEMBLY FLUSH, 30 X 30, TREAD PLATE
PEDESTRIAN
Assembly No.:VSH-300-A-30-30-NS

ASSEMBLY NO./PART NUMBER KEY:

VSH= VERSA STEEL INC. HATCH
300 = SIDWALK, STREET, FLUSH, 300 P.S.F. RATED,
A= ALUMINUM CONSTRUCTION
30-30= SIZE INTERIOR OPENING
S = SINGLE LEAF, SLAM LATCH
NS= NO GAS SPRING ASSIST



SECTION G-G
SCALE 1 : 4

GENERAL SPECIFICATIONS:

1. MATERIAL IS 6061-T6 ALUMINUM FOR BARS, AND EXTRUSIONS. 1/4" 6061 TREAD PLATE.
2. UNIT IS DESIGNED FOR 300 P.S.F LOADS.
3. UNIT IS DESIGNED TO BE CAST INTO CONCRETE FLOOR OR CURBING. CONCRETE MUST SUPPORT THE 300 RATING FOR PROPER INSTALLATION OF HATCH.
4. FRAME IS CONTINUOUS EXTRUDED CHANNEL 1-5/8" WIDE WITH LEGS TO LOCK INTO CONCRETE FOR THE COMPLETE PERIMETER OF FRAME. EACH CORNER HAS A CORNER RE-ENFORCEMENT CLIP BOLTED IN PLACE.
5. HINGES ARE HEAVY DUTY DESIGN, MATERIAL IS 316 STAINLESS STEEL.
6. ALL FASTENERS ARE GRADE 316 STAINLESS STEEL, NUTS ARE SELF LOCKING NYLON INSERT TYPE.
7. ALL ALUMINUM IS MILL FINISH WITH THE EXTERIOR OF FRAME THAT CONTACT CONCRETE HAS A COAT OF BLACK BITUMINOUS PAINT.
8. LID IS SUPPLIED WITH A STAINLESS STEEL SLAM LOCK WITH A THREADED O-RING CLOSURE AND A TEE HANDLE TO REMOVE CLOSURE AND OPERATE THE SLAM LOCK. SLAM LOCK HAS INTERNAL HANDLE FOR ACCESS INTERNALLY.
9. A STAINLESS STEEL LIFT HANDLE IS SUPPLIED AND IS FLUSH WITH TOP OF LID WHEN NOT IN USE.
10. LID IS HELD OPEN IN A 90 DEGREE POSITION WITH A LOCK OPEN ARM, MANUALLY RELEASED TO CLOSE HATCH.

THIS DOCUMENT CONTAINS PROPRIETARY, TRADE SECRET INFORMATION THAT IS THE PROPERTY OF VERSA STEEL, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING THE PRINCIPLE OF DESIGN, MAY NOT BE USED OR COPIED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF VERSA STEEL, INC.

MATERIAL

FINISH

PART NUMBER	VSH-300-A-30-30-NS
SUPPLIER	

SCALE
1:12

DRAWING NO.

VSH-300-A.

REVISION NO.	A
--------------	---

SHEET NO. 1 OF 3

VERSA STEEL, INC.
1618 NE FIRST AVENUE
PORTLAND, OREGON 97232
(503) 287-9822
FAX (503)-287-7483

DRAWN BY
E.BAILIFF

DATE	2010-9-25
------	-----------

CHECKED BY	
------------	--

APPROVED

MATERIAL	
FINISH	
SHEET TITLE	300 HATCH ASSEMBLY FLUSH, 30 X 30, TREA
PART NUMBER:	VSH-300-A-30-30-NS

PART NUMBER	VSH-300-A-30-30-NS
SUPPLIER	


SCALE
1:12

DRAWING NO.

VSH-300-A.

REVISION NO.	A
--------------	---


SHEET NO. 1 OF 3



NOTES:
PN: VSH-300-A-30-30-NS
DESC: 300 HATCH ASSEMBLY FLUSH, 30 X 30, TREAD PLATE
MATRL:
EST. WT: 44.32
FINISH:
NOTE:
CAD FILE: VSH-300-A-30-30-S-NS-T-APPROVAL

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
1	7000539-30X30-NS	FRAME WELDMENT, FLUSH EXTRUDED 30 X 30, NO SPRING	1
2	7000540-30X30-T	LID WELDMENT, FLUSH FRAME 30 X 30, TREAD	1
3	7000014	HINGE, 3", STAINLESS	2
4	1000524-24	3/4" HOLD OPEN ARM, 24, 316 SST	1
5	GFI-0809-08	FLANGED BEARING	1
6	1000060	SH SHOULDER SCREW, 3/8"-16 X 1/2" X 4.0 LG 316	1
7	1000844-08	WASHER, 1/2" ID X .06", NYLON	1
8	1000656	Shoulder Bolt 1/2x5/8	1
9	9446K71	LOCK BAR COVERING, GP PVC TUBING, RED	1
10	7000041	SLAM LOCK PLUG ASSEMBLY	1
11	1000611	TEE HANDLE, BLADE	1
12	1000740	DATA PLATE	1
13	C6LB-U8-7	LOCK BOLT STAINLESS 1/4" DIA (3/8" TO 1/2" GRIP RANGE)	4
14	3LC-2CU8	LOCK COLLAR 1/4" DIA STAINLESS	4
15	1000805-04	WASHER, EXTERNAL STAR, 1/4", 316	6
16	1000798-04-08	BUTTON HEAD CAP SCREW, 1/4-20 X .50, 316	6
17	DSS-0604	DRIVE SCREW, #6 X 1/4" LONG, STAINLESS	4
18	1000790-04-16	FLAT HEAD, ALLEN DRIVE, 1/4-20 X 1" LG, 316	4
19	1000843-04	NUT, FLANGE, SELF LOCK 1/4-20, 316	4
20	1000802	TEE NUT PLATE, 1/4-20	2
21	1000027	CAB LOCK S55316RSXX07	1
22	1000871	LOCK LUG	1




DETAIL H
SCALE 1 : 4



TOLERANCES:
DIMENSIONS ARE IN INCHES
TOLERANCES:
X.XX ± 0.020"
X.XXX ± 0.005"
UNLESS NOTED

THIS DOCUMENT CONTAINS PROPRIETARY, TRADE SECRET INFORMATION THAT IS THE PROPERTY OF VERSA STEEL, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING THE PRINCIPLE OF DESIGN, MAY NOT BE USED OR COPIED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF VERSA STEEL, INC.

MATERIAL	FINISH	SHEET TITLE	PART NUMBER	SUPPLIER	SCALE	DRAWING NO.	REVISION NO.	SHEET NO.	OF	BY	DATE	ISSUED FOR
		300 HATCH ASSEMBLY FLUSH, 30 X 30, TREAD PLATE	VSH-300-A-30-30-NS		1:10	VSH-300-A-30-30-S-NS-T-APPROVAL	A	2	3			
VERSAPARTS, INC. 1618 NE FIRST AVENUE PORTLAND, OREGON 97232 (503)287-9822 FAX (503)-287-7483												
DRAWN BY E.BAILIFF												
DATE 2010-9-25												
CHECKED BY												
APPROVED BY												
REV												
G	F	E	D	C	B	A						



NOTES:
PN: VSH-300-A-30-30-NS
DESC: 300 HATCH ASSEMBLY FLUSH, 30 X 30, TREAD PLATE
MATRL:
EST. WT: 44.32
FINISH:
NOTE:
CAD FILE: VSH-300-A-30-30-S-NS-T-APPROVAL

THIS DOCUMENT CONTAINS PROPRIETARY, TRADE SECRET INFORMATION THAT IS THE PROPERTY OF VERSA STEEL, INC. THE INFORMATION CONTAINED IN THIS DOCUMENT, INCLUDING THE PRINCIPLE OF DESIGN, MAY NOT BE USED OR COPIED, IN WHOLE OR IN PART, WITHOUT THE EXPRESS PRIOR WRITTEN CONSENT OF VERSA STEEL, INC.

VERSA STEEL, INC.
1618 NE FIRST AVENUE
PORTLAND, OREGON 97232
(503) 287-9822
FAX (503) 287-7483

DRAWN BY	E.BAILIFF
DATE	2010-9-25
CHECKED BY	

APPROVED BY _____

MATERIAL	
FINISH	
SHEET TITLE	300 HATCH ASSEMBLY FLUSH, 30 X 30, TREA
	PART NUMBER: VSH-300-A-30-30-NS

PART NUMBER	VSH-300-A-30-30-NS
SUPPLIER	

SCALE
1:12

DRAWING NO.

VSH-300-A
REVISION NO.

SHEET NO. 3 OF 3

REV	A	B	C	D	E	F	G
-----	---	---	---	---	---	---	---

ISSUED FOR

FOR

DATE _____

BY _____